



**Conservation and Water Stewardship**

Environmental Stewardship Division  
Environmental Approvals Branch  
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5  
T 204 945-8321 F 204 945-5229  
[www.gov.mb.ca/conservation/eal](http://www.gov.mb.ca/conservation/eal)

**CLIENT FILE NO.: 4659.00**

March 26, 2015

Jonathan Zulyniak, Sr. Environmental Specialist  
Kitchen Craft of Canada  
1180 Springfield Road  
Winnipeg, MB R2C 2Z2

Dear Mr. Zulyniak:

Enclosed is **revised Environment Act Licence No. 2625 RR** dated March 26, 2015 issued to **Kitchen Craft of Canada** for the alteration and continued operation of the Development being a cabinet manufacturing plant located at 1180 Springfield Road in the City of Winnipeg in accordance with the Proposal filed March 28, 2001, additional information dated October 15 and 16, 2002, the Environmental Impact Assessment report dated December 30, 2002, and the Notice of Alteration dated November 7, 2014.

In addition to the enclosed Licence requirements, please be informed that all other applicable federal, provincial and municipal regulations and by-laws must be complied with. A Notice of Alteration must be filed with the Director for approval prior to any alteration to the Development as licensed.

For further information on the administration and application of the Licence, please feel free to contact Yvonne Hawryliuk, Environment Officer at 204-945-5305.

Pursuant to Section 27 of *The Environment Act*, this licensing decision may be appealed by any person who is affected by the issuance of this Licence to the Minister of Conservation and Water Stewardship within 30 days of the date of the Licence.

Yours truly,

*“original signed by”*

**Tracey Braun, M.Sc.**  
**Director**  
**Environment Act**

c: Don Labossiere, Director; Donna Smiley, Environment Officer, Environmental Compliance and Enforcement  
Public Registries

**NOTE:** Confirmation of Receipt of this Licence No. 2625 RR (*by the Licensee only*) is required by the Director of Environmental Approvals. Please acknowledge receipt by signing in the space below and provide a copy (letter only) to the Department by April 9, 2015.

---

On behalf of Kitchen Craft of Canada

Date

**\*\*A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES\*\***

# LICENCE

Licence No. / Licence n° 2625 RR

Issue Date / Date de délivrance October 24, 2003

Revised: January 15, 2004

Revised: March 26, 2015

In accordance with *The Environment Act* (C.C.S.M. c. E125) /  
Conformément à la *Loi sur l'environnement* (C.P.L.M. c. E125)

Pursuant to Sections 10(1) and 14(2) / Conformément au Paragraphes 10(1) et 14(2)

THIS LICENCE IS ISSUED TO:/CETTE LICENCE EST DONNÉE À:

**KITCHEN CRAFT OF CANADA.;**  
**"the Licencee"**

for the alteration and continued operation of the Development being a cabinet manufacturing plant located at 1180 Springfield Road in the City of Winnipeg in accordance with the Proposal filed March 28, 2001, additional information dated October 15 and 16, 2002, the Environmental Impact Assessment report dated December 30, 2002, and the Notice of Alteration dated November 7, 2014 and subject to the following specifications, limits, terms and conditions:

### **DEFINITIONS**

In this Licence;

**"accredited laboratory"** means an analytical facility accredited by the Standard Council of Canada (SCC), or accredited by another accrediting agency recognized by Manitoba Conservation and Water Stewardship to be equivalent to the SCC, or be able to demonstrate, upon request, that it has the quality assurance/quality control (QA/QC) procedures in place equivalent to accreditation based on the international standard ISO/IEC 17025, or otherwise approved by the Director;

**"affected area"** means a geographical area, excluding the property of the Development;

**"approved"** means approved by the Director or assigned Environment Officer in writing;

**"approved facility"** means a facility operating in accordance with the requirements of *The Environment Act* and the regulations thereunder;

**"baseline level"** means the arithmetic average of total VOCs emitted to the air from the Development for the years 2000, 2001 and 2002;

**"boiler"** means any combustion equipment fired with fossil fuel, biomass or a by-product derived from fossil fuel, for the purpose of generating hot water, steam, or other media intended for heat transfer;

**"Carbon Monoxide (CO)"** means an inorganic compound comprised of one atom of carbon and one atom of oxygen;

**"Closure Plan"** means a plan indicating the actions to be taken for the closure of the Development;

**"dangerous good"** means a product, substance or organism as defined in *The Dangerous Goods Handling and Transportation Act*, or any amendments thereto;

**"Director"** means an employee so designated pursuant to *The Environment Act*;

**"Environment Officer"** means an employee so designated pursuant to *The Environment Act*;

**"fugitive emissions"** means particulate matter escaping from sources within the Development into the atmosphere other than through any of the emission stacks or vents;

**"hazardous waste"** means a product, substance or organism as defined in *The Dangerous Goods Handling and Transportation Act*, or any amendments thereto;

**"natural gas"** means a gaseous mixture of combustible hydrocarbons comprised primarily of methane with possible lesser amounts of ethane, propane and/or butane;

**"noise nuisance"** means an unwanted sound, in an affected area, which is annoying, troublesome, or disagreeable to a person:

- a) residing in an affected area;
- b) working in an affected area; or
- c) present at a location in an affected area which is normally open to members of the public;

if the unwanted sound

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 90-day period, from 5 different persons falling within clauses a), b), or c), who do not live in the same household; or
- e) is the subject of at least one written complaint, received by the Director in a form satisfactory to the Director, from a person falling within clauses a), b), or c) and the Director is of the opinion that if the unwanted sound had occurred in

a more densely populated area there would have been at least 5 written complaints received within a 90-day period, from 5 different persons who do not live in the same household;

**"Nitrogen Oxides (NO<sub>x</sub>)"** means the sum of nitric oxide (NO) and nitrogen dioxide (NO<sub>2</sub>) expressed collectively as a nitrogen dioxide equivalent;

**"odour nuisance"** means a continuous or repeated odour, smell or aroma, in an affected area, which is offensive, obnoxious, troublesome, annoying, unpleasant, or disagreeable to a person:

- a) residing in an affected area;
- b) working in an affected area; or
- c) present at a location in an affected area which is normally open to members of the public;

if the odour, smell or aroma

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 90-day period, from 5 different persons falling within clauses a), b), or c), who do not live in the same household; or
- e) is the subject of at least one written complaint, received by the Director in a form satisfactory to the Director, from a person falling within clauses a), b), or c) and the Director is of the opinion that if the odour, smell or aroma had occurred in a more densely populated area there would have been at least 5 written complaints received within a 90-day period, from 5 different persons who do not live in the same household;

**"opacity"** means the degree to which emissions reduce the transmission of light and obscure the view of an object in the background;

**"operator"** means the company or person who is responsible for the day-to-day maintenance and operation of the Development;

**"particulate matter"** means any finely divided liquid or solid matter other than water droplets;

**"particulate residue"** means that part or portion of an atmospheric emission which is deposited onto a surface;

**"point source"** means any point of emission from a Development where pollutants are emitted to the atmosphere by means of a stack;

**"pollutant"** means a pollutant as defined in *The Environment Act*;

**"Post-Closure Plan"** means a plan indicating the actions to be taken for the care, maintenance, and monitoring of the Development after closure, that will prevent, mitigate, or minimize the threat to public health and the environment;

"QA/QC" means quality assurance/quality control;

"**solid waste**" means solid waste as defined in *Manitoba Regulation 150/91*, or any future amendments thereto, respecting waste disposal grounds, excluding waste rock;

"**stack**" means a duct, pipe, chimney, vent, opening or other structure through which pollutants are emitted to the atmosphere;

"**Standard Methods for the Examination of Water and Wastewater**" means the most recent edition of Standard Methods for the Examination of Water and Wastewater published jointly by the American Public Health Association, the American Waterworks Association and the Water Environment Federation; and

"**uncontaminated wood**" means wood which does not contain any preservatives, adhesives, finishes or laminates which could result in the release of pollutants if combusted;

"**volatile organic compound (VOC)**" means any organic compound which participates in atmospheric photochemical reactions, excluding methane, carbon monoxide, carbon dioxide, carbonic acid, metallic carbides and carbonates, ammonium carbonate, and other compounds which may be exempt by the Director; and

"**wastewater**" means any liquid containing a pollutant as defined in *The Environment Act*, associated with or resulting from the Development which is discharged into the environment.

### **GENERAL TERMS AND CONDITIONS**

This Section of the Licence contains terms and conditions intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

1. The Licencee shall implement a high standard of equipment maintenance and good housekeeping and operational practices with respect to the Development, at all times.
2. The Licencee shall reduce the production and dissemination of wastes by initiating and maintaining waste reduction and waste recycling programs.
3. The Licencee shall submit all information required to be provided to the Director or Environment Officer under this Licence, in writing, in such form (including number of copies), and of such content as may be required by the Director or Environment Officer, and each submission shall be clearly labelled with the Licence Number and Client File Number associated with this Licence.

4. The Licencee shall handle and store all unprocessed wood, processed wood, waste wood and sawdust in such a manner that particulate matter is not emitted from the Development in exceedance of limits contained in this Licence.
5. In addition to any of the limits, terms and conditions specified in this Licence, the Licencee shall, upon the request of the Director:
  - a) sample, monitor, analyze and/or investigate specific areas of concern regarding any segment, component or aspect of pollutant storage, containment, treatment, handling, disposal or emission systems, for such pollutants or ambient quality, aquatic toxicity, leachate characteristics and discharge or emission rates, for such duration and at such frequencies as may be specified;
  - b) determine the environmental impact associated with the release of any pollutant(s) from the Development;
  - c) conduct specific investigations in response to the data gathered during environmental monitoring programs; or
  - d) provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, descriptions of sampling and analytical procedures being used, bioassay data, flow rate measurements and such other information as may from time to time be requested.
6. The Licencee shall, unless otherwise specified in this Licence:
  - a) carry out all preservations and analyses on liquid samples in accordance with the methods prescribed in the most current edition of Standard Methods for the Examination of Water and Wastewater or in accordance with equivalent preservation and analytical methodologies approved by the Director;
  - b) carry out all sampling of, and preservation and analyses on, soil and air samples in accordance with methodologies approved by the Director;
  - c) have all analytical determinations undertaken by an accredited laboratory; and
  - d) report the results to the Director, in writing and in an electronic format acceptable to the Director, within 60 days of the samples being taken.
7. The Licencee shall designate an employee, within 60 days of the date of issuance of this Licence, as the Licencee's Environmental Coordinator, whose job description will include assisting the Licencee in complying with the limits, terms and conditions in this Licence and assisting Senior Management of the Licencee to manage environmental issues at the Development. The name of the Environmental Coordinator shall be submitted in writing to the Director within 14 days of appointment and any subsequent appointment.

## **SPECIFICATIONS, LIMITS, TERMS, AND CONDITIONS**

### **Respecting Air Emissions – Limits**

8. The Licencee shall not emit particulate matter from the Development such that:
  - a) particulate matter:
    - i) exceeds 0.23 grams per dry standard cubic metre calculated at 25 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combustion, from any point source of the Development;
    - ii) exhibits a visible plume with an opacity of greater than 5 percent at any point beyond the property line of the Development; or
    - iii) results in the deposition of visible particulate residue at any time beyond the property line of the Development; or
  - b) opacity from any point source of the Development equals or exceeds:
    - i) 20 percent as the average of any 24 consecutive opacity observations taken at 15 second intervals;
    - ii) 20 percent for more than 16 individual opacity observations within any 1 hour period; or
    - iii) 40 percent for any individual opacity observation.
9. The Licencee shall not cause or permit a noise nuisance to be created as a result of the construction, operation, or alteration of the development, and shall take such steps as the Director may require to eliminate or mitigate a noise nuisance.
10. The Licencee shall not cause or permit an odour nuisance to be created as a result of the construction, operation, or alteration of the Development, and shall take such steps as the Director may require to eliminate or mitigate an odour nuisance.

### **Respecting Baseline Data**

11. The Licencee shall use Attachment 'A' of this Licence as the baseline data for the purposes of this Licence.

### **Respecting VOC Record Keeping and Reporting**

12. The Licencee shall submit, to the Director, an annual report by March 1<sup>st</sup> of the following year. The report shall contain the following information:
  - a) for any of the materials used as listed in Attachment 'B' of this Licence, a completed copy of the form entitled "Quarterly VOC Mass Balance in Kilograms at the Development of Listed VOCs" as required in Attachment 'C' of this Licence, signed by the Environmental Manager of Kitchen Craft of Canada Ltd.;
  - b) for all VOCs used but not listed in Attachment 'B' of this Licence, a completed copy of the form entitled "Quarterly VOC Mass Balance in Kilograms at the Development of Non-Listed VOCs" as required in

Attachment 'D' of this Licence, signed by the Environmental Manager of Kitchen Craft of Canada Ltd.;

- c) a detailed explanation for any increase in VOC use or release;
- d) a detailed identification and description of all measures including but not limited to: operational or material modifications; equipment upgrades; process modifications; emission control technologies; etc., that have been implemented in this reporting period to reduce the emissions of VOCs, and an estimated quantification of the emissions reduction from each measure which has been implemented; and
- e) a detailed identification and description of all proposed measures including: operational or material modifications; equipment upgrades; process modifications; emission control technologies; etc., that are intended to reduce VOC emissions and are to be initiated within the next reporting period.

### **Respecting Remediative Measures to Reduce VOC Emissions**

- 13. The Licencee shall implement the plan submitted April 21, 2004 and accepted by the Director for the management of VOC emissions from the Development addressing:
  - a) measures taken prior to issuance of this Licence with dates of implementation and outcomes; and
  - b) remediative measures to manage the impingement of VOC emissions beyond the property boundaries of the Development including but not limited to the following:
    - i) a reduction in VOC emissions by means of operational or equipment modifications;
    - ii) an appropriate dispersion of emissions by means of alterations to the stack design;
    - iii) the treatment of emissions by an appropriate air pollution control device; and
    - iv) other appropriate approved alternative reduction measure(s).
  
- 14. The Licencee, upon written request from the Director, shall initiate remediative measures to reduce the impingement of emissions from the Development associated with the use of materials containing VOC substances, beyond the property boundaries of the Development, if in the opinion of the Director, based on representation to the Director from the community, or other significant forthcoming information, such emissions are resulting in or could result in a negative impact to the community. The remediation shall be implemented to the satisfaction of the Director by such measures as:
  - a) a reduction in VOC emissions by means of operational or equipment modifications;
  - b) an appropriate dispersion of emissions by means of alterations to the stack design as approved by the Director;
  - c) the treatment of emissions by an appropriate air pollution control device; or
  - d) other appropriate approved alternative reduction measure(s).



**Respecting Air Pollution Control Equipment**

15. The Licencee shall control, capture and direct any airborne emissions containing particulate matter created by cutting, planing, sanding, routing, staining, cleaning, coating or finish coating of wood or wood derived products to an air pollution control device in such a manner that particulate matter is not emitted from the Development in exceedance of limits contained in this Licence.
16. The Licencee shall direct all air streams that contain a pollutant(s) of concern to the Director to a pollution control device which has been designed for and demonstrated to be capable of reducing, altering, eliminating or otherwise treating the pollutant(s).
17. The Licencee shall prepare, within 90 days of the issuance of this Licence, and maintain the following manuals which shall be kept at the Development and available for review upon request by an Environment Officer:
  - a) a standard operating procedural manual and a maintenance schedule for each air emission pollution control device based on the manufacturer's specifications and recommendations;
  - b) an updated standard operating procedural manual and a maintenance procedure for each air emission pollution control device within 120 days of the addition, elimination or change regarding any air emission control device; and
  - c) a copy of the manufacturing operational and maintenance manual.
18. The Licencee shall not operate any process directing an emission to an air pollution control device at the Development unless:
  - a) the operating and maintenance measures and status of the device are in full compliance with the procedures and timetables as per Clause 17;
  - b) all emissions from the process are directed to the fully operational air pollution control device;
  - c) all discharges of treated emissions from the air pollution control devices are immediately directed to a stack;
  - d) the emissions do not contain concentrations of pollutants which:
    - i) are in violation of any other applicable legal instrument including an Act, Regulation or by-law; or
    - ii) otherwise create a significant negative environmental or health impact in the affected area.
19. The Licencee shall maintain a log book of the most recent 24 month period to record any downtime of an air pollution control device due to either the breakdown or maintenance of that air pollution control device. The log book shall be kept at the Development and shall be available upon request for inspection by an Environment Officer. The log book shall record, at minimum, the following information:
  - a) identification of the air pollution control device and the process(es) it serves;

- b) time/date of log entry;
  - c) nature of event;
  - d) time and duration of event;
  - e) action taken
  - f) the accumulated downtime of this air pollution control device for the events for each calendar year; and
  - g) signature of the Environmental Coordinator.
20. The Licencee shall handle, store and dispose of all pollutants collected by the air pollution control equipment in a manner suitable to their characterization as type of waste or dangerous good.

**Respecting Air Emission Monitoring**

21. The Licencee, upon written request from the Director, shall provide a stack or stacks including all necessary sampling facilities for the sampling of air emissions at the Development. The stack or stacks shall be provided:
- a) at a location(s) and within a time frame satisfactory to the Director; and
  - b) to the specifications and in accordance with the most recent version of Manitoba Conservation Guideline, *Guideline for Stack Sampling Facilities*, unless otherwise approved by the Director.
22. The Licencee, upon a written request from the Director, shall submit a detailed plan which is acceptable to and approved by the Director, for the sampling and analysis of potential air pollutants, released as stationary point and fugitive emissions, including any compounds determined by the Director. The plan shall identify the rationale for the sampling, the ways and means by which the sampling program will be implemented including any special measures or methods which would be necessitated by influencing factors such as unfavourable weather conditions, the need for large or additional sample volumes, the need for multiple sampling runs, the methods used for the sampling and the analysis for each compound, the detection level to be attained, a comprehensive QA/QC program, and other items as may be identified by the Director.
23. The Licencee shall perform all stack sampling in accordance with the most recent version of Manitoba Conservation Report No. 96-07, Interim Stack Sampling Performance Protocol, unless otherwise approved by the Director.
24. The Licencee shall arrange the scheduling of the sampling program submitted pursuant to Clause 22 of this Licence such that a representative of Manitoba Conservation and Water Stewardship is available to monitor and audit the implementation of the sampling program.
25. The Licencee shall complete the sampling of emissions according to the approved plan submitted pursuant to Clause 22 of this Licence, within a timeframe to be determined by the Director.

26. The Licencee shall submit a report, for the approval of the Director, of the completed sampling and analysis plan approved pursuant to Clause 22 of this Licence, within 60 days of the receipt of the analytical results of that sampling plan. The report shall contain at minimum:
- a) the raw data collected;
  - b) a discussion of the sampling and analytical portions of the program including any anomalies of sampling and analysis; and
  - c) a discussion of the significance of the data gathered with specific attention to:
    - i) the significance for potential acute and chronic impacts to health or environment from exposure to concentrations of the compounds detected;
    - ii) the need for risk assessment of the impact of emissions;
    - iii) the need for the establishment of ambient air monitoring stations;
    - iv) the need for dispersion modeling of emissions;
    - v) results and conclusions of the QA/QC program; and
    - vi) other issues as may be determined by the Director.
27. The Licencee, upon the written request of and in a timeframe stipulated by the Director, shall comply with any air emission or ambient air quality criteria specified by the Director for any pollutant of concern to the Director which has been identified pursuant to Clause 5, 8, 15, 16, or 26 of this Licence.

#### **Respecting Ambient Air Quality Monitoring**

28. The Licencee shall submit, upon the written request and for the approval of the Director, a program for:
- a) the sampling, analysis and reporting of levels of pollutants, as determined by the Director, at a selected location(s) beyond the property boundaries of the Development; and
  - b) the location, installation and operation of a meteorological monitoring station.
29. The Licencee shall implement the approved program submitted pursuant to Clause 28 of this Licence within a timeframe stipulated by the Director.

#### **Respecting Air Dispersion Modeling**

30. The Licencee, upon a written request from the Director, shall submit a plan for approval by the Director to perform a refined air dispersion modeling for the facility.
31. The Licencee shall:
- a) complete the air dispersion modeling according to the plan approved pursuant to Clause 30 of this Licence within a timeframe to be determined by the Director; and

- b) submit a report of the completed air dispersion modeling result and analysis of the plan, approved pursuant to Clause 30 of this Licence, within the time frame determined pursuant to Clause 31 a), to the Director.

### **Respecting The Operation of Boilers And Heaters**

32. The Licencee shall operate new or upgraded boilers or heaters in compliance with the appropriate emission limits for nitrogen oxides and carbon monoxide contained in the most recent edition of the Canadian Council of Ministers of the Environment publication entitled "*National Emission Guideline For Commercial/Industrial Boilers And Heaters – Initiative N306*".
33. The Licencee shall only combust uncontaminated wood or natural gas in boilers or heaters at the Development.

### **Respecting Chemical Storage and Spill Containment**

34. The Licencee shall provide containment for all vessels containing chemicals in each area of the development where the chemicals are stored, loaded, transferred, used or otherwise handled, in compliance with the National Fire Code of Canada (2010), or any future amendment thereof, such that any product leakage or spillage and any contaminated liquid generated is contained within the Development and contamination of groundwater and surface water is prevented.
35. The Licencee shall, in a manner approved by the Director, remove and dispose of all spilled dangerous goods.
36. The Licencee shall provide sufficient storage capacity within any containment area of the development required by Clause 34 of this Licence, for a liquid volume equal to:
  - a) 110% of the volume of the largest storage tank located therein; and
  - b) the effective displacement volume of all other tanks and structures located therein; unless otherwise approved in writing by the Director.
37. The Licencee shall maintain the liquid storage volume capacity, as required by Clause 36 of this Licence, by the timely removal and disposal, in a manner approved by the Director, of all accumulated fluids.

### **Respecting Dangerous Goods and Hazardous Wastes**

38. The Licencee shall comply with all the applicable requirements of:
  - a) Manitoba Regulation 188/2001, or any future amendment thereof, respecting the *Storage and Handling of Petroleum Products and Allied Products*;
  - b) *The Dangerous Goods Handling and Transportation Act*, and regulations issued thereunder, respecting the handling, transport, storage and disposal of any dangerous goods brought onto or generated at the Development; and

c) the Office of the Fire Commissioner – Province of Manitoba.

39. The Licencee shall not receive at the Development any hazardous waste from any generator off site of the Development.

#### **Respecting Wastewater**

40. The Licencee shall not discharge wastewater generated at the Development beyond the boundaries of the Development except any discharge which is directed to an approved wastewater collection system.

#### **Respecting Solid Waste**

41. The Licencee shall dispose of all solid waste generated at the Development only at a waste disposal ground operating under the authority of a permit issued pursuant to *Manitoba Regulation 150/91* or any future amendment thereof, or a Licence issued pursuant to *The Environment Act*.

42. The Licencee shall direct all recyclable materials generated at the Development to an approved recycling facility.

43. The Licencee shall compost all unstained MDF, melamine, particle board and veneer at an approved composting facility or other facility approved by the Director or dispose in accordance with Clause 41.

#### **Respecting Emergencies**

44. The Licencee shall, in the case of physical or mechanical equipment breakdown or process upset where such breakdown or process upset results or may result in the release of a pollutant in an amount or concentration, or at a level or rate of release, that causes or may cause a significant adverse effect, immediately report the event by calling 204-944-4888 (toll-free 1-855-944-4888). The report shall indicate the nature of the event, the time and estimated duration of the event and the reason for the event.

45. The Licencee shall, following the reporting of an event pursuant to Clause 44

- a) identify the repairs required to the mechanical equipment;
- b) undertake all repairs to minimize unauthorized discharges of a pollutant;
- c) complete the repairs in accordance with any written instructions of the Director; and
- d) submit a report to the Director about the causes of breakdown and measures taken, within one week of the repairs being done.

46. The Licencee shall prepare, within 90 days of the date of issuance of this Licence, and maintain an emergency response contingency plan in accordance with the

Canadian Centre for Occupational Health and Safety “Emergency Response Planning Guide” or other emergency planning guidelines acceptable to the Director.

### **Respecting Financial Assurance**

47. The Licencee, shall maintain and post with the Manitoba Conservation and Water Stewardship in the amount of \$100,000 Cdn:
- a) a permit bond issued by a surety company licenced to do business in the Province of Manitoba;
  - b) an irrevocable letter of credit; or
  - c) another acceptable security satisfactory to the Director.

This permit bond, irrevocable letter of credit, or other security and renewals thereof shall remain in place for the duration of the operation and decommissioning of the facility. The Director may order forfeiture of the permit bond, irrevocable letter of credit, or other security, either in whole or in part, by giving written notice to that effect to the Licencee, upon the Director being satisfied that the Licencee is in breach of any specification, limit, term or condition of this Licence, or for reimbursement of any costs or expenses incurred by the Province of Manitoba in rectifying environmental damage caused or contributed to by the operation of the facility.

48. The Licencee shall maintain the validity of Environmental Impairment Liability insurance providing coverage subject to a minimum limit of \$1,000,000 Cdn per occurrence or claim, including coverage for gradual, and sudden and accidental pollution. Coverage to include on-site and off-site clean up costs, and be placed with insurers satisfactory to the Province of Manitoba. The Province of Manitoba is to be added as an Additional Insured on the policy. The policy shall contain a clause stating that the Insurer will give Manitoba 60 days prior written notice in case of a reduction in coverage or policy cancellation.

### **Closure and Post Closure**

49. Within one year prior to imminent closure of the Development, the Licencee shall submit, for the approval of the Director, a formal detailed Closure and Post Closure Plan for the Development.
50. The Licencee shall implement and maintain the approved Closure and Post Closure Plan.

### **REVIEW AND REVOCATION**

- A. This Licence replaces Licence No. 2625 R which is hereby rescinded.

- B. If in the opinion of the Director, the Licencee has exceeded or is exceeding or has or is failing to meet the specifications, limits, terms or conditions set out in this Licence, the Director may, temporarily or permanently, revoke this Licence.
- C. If, in the opinion of the Director, new evidence warrants a change in the specifications, limits, terms or conditions set out in this Licence, the Director may require the filing of a new proposal pursuant to *The Environment Act*.

*“original signed by”*

---

**Tracey Braun, M.Sc.**  
**Director**  
*The Environment Act*

**Client File No.: 4659.00**

**Attachment 'A' to  
Environment Act Licence No. 2625 RR – Kitchen Craft of Canada**

**Baseline Data – Annual Average VOC Mass Balance in Kilograms – 2000 – 2002.**

<b>Year</b>	<b>VOCs Used</b>	<b>VOCs Released</b>
<b>2000</b>	817096.63	817096.63
<b>2001</b>	963327.75	963327.75
<b>2002</b>	1269043.99	1269043.99
<b>Average</b>	<b>983156.13</b>	<b>983156.13</b>



**Attachment 'B' to  
Environment Act Licence No. 2625 RR – Kitchen Craft of Canada**

**VOC Listing – Kitchen Craft of Canada<sup>1</sup>**

<b>Common Name</b>	<b>CAS No.</b>	<b>Carcinogen<sup>2</sup> (Y<sup>3</sup>/N<sup>4</sup>)</b>
1,2,4-trimethyl benzene	95-63-6	- <sup>5</sup>
1,2,5-trimethyl benzene	108-67-8	-
1,6-hexanediol diisocyanate	822-06-0	N
1-methoxy propanol	107-98-2	N
1-methoxy-2-propyl acetate	108-65-8	-
2-butoxyethanol	111-76-2	Y
aliphatic polyisocyanate	3779-63-3	-
bis(2-ethylhexyl) phthalate	117-81-7	N
butyl benzyl phthalate	85-68-7	N
copper phthalocyanine	147-14-8	-
ethyl 3-ethoxy propionate	763-69-9	-
ethyl acetate	141-78-6	N
ethyl alcohol	67-17-5	-
ethylbenzene	100-41-4	N
ethylene glycol butyl ether acetate	112-07-2	-
formaldehyde	50-00-0	Y
isobutyl acetate	110-19-0	-
isobutyl alcohol	78-83-1	N
isobutyl isobutyrate	97-85-8	-
isopropyl alcohol	67-63-0	-
methanol	67-56-1	N
methyl ethyl ketone (MEK)	78-93-3	N
methyl n-amyl ketone	110-43-0	-
n-butyl acetate	123-86-4	-
n-butyl alcohol	71-36-3	N
propylene glycol butyl ether	5131-66-8	-
p-toluene sulfonic acid	104-15-4	-
toluene	108-88-3	N
xylene	1330-20-7	N

Notes:

1. The above VOC listing is based on information provided in the Environment Act Proposal and is to be reviewed and updated on an as needed basis by the Licencee. Any additions are to be brought to the attention of the Director.
2. Carcinogenicity based on United States Environment Protection Agency Integrated Risk Information System (IRIS) database. Possible, probable and known carcinogens are to be identified.
3. An identified possible, probable or known carcinogen related to inhalation shown as 'Y'.
4. Not assessed in IRIS database for carcinogenicity related to inhalation, or weight of evidence not conclusive shown as 'N'.
5. Not identified in IRIS database.



**Attachment 'D' to  
 Environment Act Licence No. 2625 RR- Kitchen Craft of Canada  
Quarterly VOC Mass Balance in Kilograms at the Development of Listed VOCs<sup>1,2</sup>**

VOC	CAS No.		January to March	April to June	July to September	October to December	Total
Other VOCs		Purchased					
		Released					

**Notes:**

- 1 Record only those VOC's whose usage was greater than 100 kg/month.
- 2 Record any VOC classified as a probable or known carcinogen whose usage was greater than 1 kg/month.

To the best of my knowledge, the above information is true and accurate.

\_\_\_\_\_  
 Environmental Manager