

Date: September 16, 2013**File:** 4766.10**To:** Tania Steele
Licensing Clerk
Environmental Approvals Branch
123 Main Street
Ste. 160 Union Station
Winnipeg, Mb R3C 1A5**From:** Rob Boswick, P. Eng.
Environmental Engineer
Environmental Approvals Branch
123 Main Street
Ste. 160 Union Station
Winnipeg, Mb R3C 1A5**Subject: Rural Municipality of Brokenhead – Wastewater Treatment Lagoon
Expansion – EAP Material to Public Registries**

Please distribute the attached material pertaining to the Rural Municipality of Brokenhead – Wastewater Treatment Lagoon Expansion Environment Act Proposal review to the appropriate Public Registries.

Attached are:


1. Letter (2 pages) from Environmental Approvals Branch – Manitoba Conservation and Water Stewardship to J. R. Cousin Consultants Ltd., dated September 9, 2013;
2. Memorandum (1 page) from Environmental Compliance and Enforcement Branch – Manitoba Conservation and Water Stewardship, dated August 19, 2013;
3. Email message (2 pages) from Fisheries Branch – Manitoba Conservation and Water Stewardship, dated August 13, 2013;
4. Email message (1 page) from Watersheds and Protected Areas Branch and Lands Branch – Manitoba Conservation and Water Stewardship, dated August 13, 2013;
5. Email message (1 page) from Community and Regional Planning, Beausejour Regional Office – Manitoba Local Government, dated August 12, 2013;
6. Email message (2 pages) from Parks and Natural Areas Branch – Manitoba Conservation and Water Stewardship, dated August 6, 2013;
7. Memorandum (1 page) from Water Quality Management Section, Water Science and Management Branch – Manitoba Conservation and Water Stewardship, dated July 26, 2013;
8. Email message (2 pages) from Office of the Fire Commissioner – Manitoba Family Services and Labour, dated July 26, 2013;
9. Email message (1 page) from Office of Drinking Water – Manitoba Conservation and Water Stewardship, dated July 26, 2013;
10. Letter (1 page) from Environmental Services Section, Highway Planning and Design Branch – Manitoba Infrastructure and Transportation, dated July 23, 2013; and
11. Email message (1 page) from Water Use Licensing Section – Manitoba Conservation and Water Stewardship, dated July 16, 2013.

There are a total of **15 pages** attached to this memo.

Thank you,

Rob Boswick

Rob Boswick
Attachments



Conservation and Water Stewardship

Climate Change and Environmental Protection Division
Environmental Approvals Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-8321 F 204 945-5229
www.gov.mb.ca/conservation/eal

File: 4766.10

September 9, 2013

Jerry Cousin, P. Eng.
J. R. Cousin Consultants Ltd.
91A Scurfield Blvd.
Winnipeg, MB R3Y 1G4

Dear Mr. Cousin:

Re: Rural Municipality of Brokenhead – Wastewater Treatment Lagoon Expansion – Environment Act Proposal

The initial review of the Environment Act Proposal (EAP) regarding the proposed expansion of the Rural Municipality of Brokenhead wastewater treatment lagoon has been completed.


The initial review has generated comments and requests for additional information. Please respond to the comments and requests from the Technical Advisory Committee presented in the attached items being:

1. Memorandum from Environmental Compliance and Enforcement – Manitoba Conservation and Water Stewardship, dated August 19, 2013;
2. Email message from Fisheries Branch – Manitoba Conservation and Water Stewardship, dated August 13, 2013;
3. Email message from Community and Regional Planning, Beausejour Regional Office – Manitoba Local Government, dated August 12, 2013; and
4. Memorandum from Water Quality Management Section, Water Science and Management Branch – Manitoba Conservation and Water Stewardship, dated July 26, 2013.

Please address and respond to the comments and requests for additional information. Resulting responses that are specifically pertinent to the EAP review are to be directed through Manitoba Conservation and Water Stewardship's Environmental Approvals Branch. The EAP review process will continue upon receipt of your response.

If you have any questions or would like to discuss these items, please contact me at 204-945-6030.

Yours truly,

A handwritten signature in black ink that reads "Robert Boswick". The signature is written in a cursive style with a large initial 'R' and a long, sweeping underline.

Robert Boswick, P. Eng.
Environmental Engineer

Attachments

- c: Gary Hanna, A/CAO – Rural Municipality of Brokenhead
- Don Labossiere, Director – Environmental Compliance and Enforcement, Manitoba
- Conservation and Water Stewardship
- Public Registries**

DATE: August 19, 2013

TO: Robert Boswick
Environmental Approvals (Box 80)
Conservation and Water Stewardship
123 Main Street
Winnipeg MB R3C 1A5

FROM: Environmental Compliance and
Enforcement
Conservation and Water Stewardship
Box 4000
Lac du Bonnet MB R0E 1A0
P: (204) 345-1486
F: (204) 345-1400

**SUBJECT: Environment Act Proposal for Wastewater Treatment Lagoon Expansion - R.M. of Brokenhead
(File No. 4766.1)**

Environmental Compliance and Enforcement (ECE) submits the following comment:

Section 2.5.3 of the proposal states that "the drainage route from the expanded lagoon will follow the existing licensed drainage route from the RM of Brokenhead lagoon". In addition, the proposal indicates that the phosphorus concentration at point of discharge is greater than 1.0 mg/L and discusses several nutrient reduction strategies.

ECE recommends that consideration also be given to lengthening the discharge route from the lagoon facility to Devil's Creek to further mitigate potential impacts to surface water.

From: Janusz, Laureen R (CWS)
Sent: August-13-13 3:02 PM
To: Boswick, Robert (CWS)
Cc: Kroeker, Derek (CWS); Long, Jeff (CWS)
Subject: EAP 4766.00 R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead due August 12 2013

Hi Robert,

Fisheries Branch has reviewed this proposal to expand the existing wastewater treatment lagoon in NW and SW ¼ 15-13-06 E. The expansion would include two new primary cells and a secondary storage cell constructed with a clay liner and built adjacent to the existing primary which will be used as a storage cell. While there will be a new discharge valve location the discharge from the lagoon is following the same route which is to Devil's Creek.

Regarding this proposal we have a couple of comments.

We note that in the proposal the CEC had recommended that the lagoon licence be issued providing a 30 m buffer zone was maintained. Recently revised Provincial Land use Policies now state a minimum of 15 m along 1st and 2nd order surface waters and 30 meters on 3rd order and higher as well as lakes. From Google Earth maps it appears there is ~50 m between the outer edge of the lagoon to the edge of the creek. Yet the proponent's indicate maintaining the minimum of 3 m based on the requirements of a nutrient buffer zone. Is the above recommendation of 3 m correct?

While it would appear that there will be sufficient storage based on the 20 year design and particularly if converted to an aerated lagoon, we do not follow the logic of using 30% for the reject water in determining the required hydraulic capacity. While the actual values for reject water to date have ranged from 25.1% to 29.9% between 2008 and 2011, if the requirement for water is going to increase due to increased population, would the amount of reject water being directed to the lagoon not also increase?

Plan 1 shows where the proposed discharge valve location is but it is unclear how the effluent will be routed through to Devil's Creek. Will the effluent be directed to the existing discharge outlet or will there be a new discharge outlet constructed? Further to the proposed outlet Fisheries Branch had recommended that the proponent consider creating a longer meandering outlet channel to provide for additional improvements to water quality, particularly in the event of the requirement for an emergency discharge. While our recommendation is noted in the proposal there was no further consideration of the recommendation. A longer discharge route, if constructed appropriately, could have also provided another alternative to reducing phosphorous limits by allowing trickle discharge to occur. Why was the option of a longer effluent discharge route not considered and discussed in the proposal and can it be done now?

Depending on the year, as noted in the proposal, Devil's Creek supports a number of life stages, if not all life stages, for small and large bodied fish species. While impacts to fish may be minimized by ensuring the effluent meets or exceeds Water Quality Standards, Objectives and Guidelines for Aquatic Life and releasing after June 15th, these mitigation measures address spring spawning fish species. Not all fish present in Devil's creek are spring spawning fish. Monitoring to ensure ammonia is within recommended levels and that any chemicals used to bind the phosphorous are removed from the effluent prior to entering Devil's Creek would be important.

In terms of potential licensing conditions that would address some of our fisheries concerns we would certainly be supportive of a licensing clause requiring monitoring upstream and downstream of the effluent discharge location for a specified period of time that includes the parameters noted above. For any construction activities we would request the standard licensing clause that addresses the implementation of erosion control measures and clean rock be included in the licence. And finally could the following clause to address the potential to introduce aquatic and terrestrial invasive species be included:

The Licencee shall, during construction and maintenance of the Development, prevent the introduction of foreign biota to surface waters and in native habitats by ensuring all equipment used in or adjacent to water, including transport equipment, is clean before use at each location.

We would of course appreciate further discussion regarding the construction of a longer effluent discharge channel. Any questions or concerns please feel free to email or call. Thanks Robert.

Laureen Janusz
Fisheries Science and Fish Culture Section
Fisheries Branch
Conservation and Water Stewardship
Phone: 204 945-7789
Cell: 204 793-1154
Email: Laureen.Janusz@gov.mb.ca

From: Steele, Tania (CWS)

Sent: July-16-13 11:08 AM

To: Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Kanya, Veronika (CWS); Firlotte, Nicole (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Hay, David (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Roberecki, Susan (HEALTH); Roberts, Tracy (HEALTH); +WPG969 - MIT Environmental Services Section (MIT); Shaler, Samantha (MLG); Allum, Brad (MIT); Schafer, Dave (OFC); Kubish, Cheryl (OFC); Nedotiafko, Rob (CWS); Campbell, Lyle (CWS); Smiley, Donna (CWS); Prawdzik, Tim (CWS)

Cc: Boswick, Robert (CWS)

Subject: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/4766broken/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

Robert Boswick @ 204-945-6030. Email replies are programmed to automatically deliver to robert.boswick@gov.mb.ca.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **August 12, 2013.**

****No hard copies will be provided****

Thank you.

Sent on behalf of:

Robert Boswick, P.Eng.

Environmental Engineer

Manitoba Conservation and Water Stewardship

REGULAR MAIL - 160-123 Main Street (BOX 80), Winnipeg MB R3C 1A5

COURIERS - 2nd Floor 123 Main Street, Winnipeg MB R3C 1A5

e-mail: robert.boswick@gov.mb.ca

Ph. (204) 945-6030

Cellular (204) 918-5853

FAX: (204) 945-5229

Boswick, Robert (CWS)

From: Kaita, Adara (CWS) on behalf of +WPG1212 - Conservation_Circulars (CWS)
Sent: August-13-13 9:19 AM
To: Boswick, Robert (CWS)
Subject: EA Proposal R.M. of Brokenhead - RM of Brokenhead - Wastewater Treatment Lagoon - File: 4766.1

Hi Robert,

Sorry for the late response, the Watersheds and Protected Areas Branch and the Lands Branch have no concerns.

Thank you,

Adara Kaita
Crown Land Programs and Policy Manager
Conservation and Water Stewardship
Box 25, 200 Saulteaux Crescent
Winnipeg, MB R3J 3W3
Cell: (204) 945-6301
F: (204) 948-2197

Boswick, Robert (CWS)

From: Sumner, Kevan (MLG)
Sent: August-12-13 2:21 PM
To: Boswick, Robert (CWS)
Cc: Shaler, Samantha (MLG); Litke, Debra (MLG)
Subject: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Hi Robert,

I have reviewed the above noted Environment Act Proposal on behalf of the Community and Regional Planning Branch.

The applicant proposes to expand the existing wastewater treatment lagoon located on parcel "A", Plan No. 43287 WLTO, which is located on W ½ 15-13-06 EPM in the Rural Municipality of Brokenhead. The site of the lagoon expansion is directly east of the existing lagoon, on land which is currently being used for agricultural purposes.

The property in question is primarily zoned "A80" Rural and Agricultural Zone under the Rural Municipality of Brokenhead Zoning By-law. A small area at the southerly limit of the site is zoned "AL" Limited Agricultural Zone. As the lagoon expansion will include land under both zoning designations, the more stringent of the two zoning requirements apply whenever should the two zones differ in their regulations.

Section 3.3.8 of the Zoning By-law states that nothing in the by-law shall be so interpreted as to interfere with the construction, maintenance, and operation of the facilities of any public utility, provided that the requirement of such public utility is of a standard compatible with the adjacent area as determined by the Development Officer, and that any building or structure erected in any zone complies with the yard and area requirements applicable to the zone.

While public utilities are not provided for as a permitted or conditional use in either the "A80" or "AL" zone, Section 3.3.8 clearly exempts the proposed lagoon expansion from such considerations. The setback requirement for any structures from property lines is 25 feet. As the lagoon structure straddles the western property line, the two properties may be considered a single zoning site, eliminating any requirement for setbacks from the western property line.

I advise that the Development Officer for the Brokenhead River Planning District should be contacted to determine if the proposed development is of a standard compatible with the adjacent area.

Yours Truly,

Kevan W. Sumner
Regional Manager
Community and Regional Planning - Beausejour Regional Office
Manitoba Local Government
PO Box 50, 125 - 20 First Street
Beausejour, MB R0E 0C0
Ph: (204) 268-6064
Cell: (204) 918-3538
Fx: (204) 268-6007
Email: kevan.sumner@gov.mb.ca

Boswick, Robert (CWS)

From: Kelly, Jason (CWS)
Sent: August-06-13 9:07 AM
To: Boswick, Robert (CWS)
Subject: RE: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Parks and Natural Areas Branch has reviewed the proposal filed pursuant to the Environment Act for the Proposal for Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10. The Branch has no comments to offer as this does not impact any parks or ecological reserves.

Jason Kelly, M.N.R.M.
Ecological Reserves and Protected Areas Specialist
Parks and Natural Areas Branch
Conservation and Water Stewardship
Box 53, 200 Saulteaux Cres
Winnipeg, MB R3J 3W3

Phone: 204-945-4148
Cell:
Fax: 204-945-0012

Email: Jason.Kelly@gov.mb.ca

From: Steele, Tania (CWS)
Sent: July-16-13 11:08 AM
To: Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Kanya, Veronika (CWS); Firlotte, Nicole (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Hay, David (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Roberecki, Susan (HEALTH); Roberts, Tracy (HEALTH); +WPG969 - MIT Environmental Services Section (MIT); Shaler, Samantha (MLG); Allum, Brad (MIT); Schafer, Dave (OFC); Kubish, Cheryl (OFC); Nedotiafko, Rob (CWS); Campbell, Lyle (CWS); Smiley, Donna (CWS); Prawdzik, Tim (CWS)
Cc: Boswick, Robert (CWS)
Subject: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/4766broken/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

Robert Boswick @ 204-945-6030. Email replies are programmed to automatically deliver to robert.boswick@gov.mb.ca.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by August 12 , 2013.

****No hard copies will be provided****

Thank you.

Sent on behalf of:

Robert Boswick, P.Eng.

Environmental Engineer

Manitoba Conservation and Water Stewardship

REGULAR MAIL - 160-123 Main Street (BOX 80), Winnipeg MB R3C 1A5

COURIERS - 2nd Floor 123 Main Street, Winnipeg MB R3C 1A5

e-mail: robert.boswick@gov.mb.ca

Ph. (204) 945-6030

Cellular (204) 918-5853

FAX: (204) 945-5229



DATE: July 26, 2013

Memorandum

TO: Robert Boswick
Environmental Approvals Branch
160-123 Main Street, Winnipeg,
MB
R3C 1A5

FROM: Joy Kennedy
Water Quality Management Section
Water Science and Management Branch
160-123 Main Street, Winnipeg, MB
R3C 1A5

Cc David Hay

TELEPHONE: 945-7908

FACSIMILE: 948-2357

EMAIL: joy.kennedy@gov.mb.ca

SUBJECT: *ENVIRONMENT ACT PROPOSAL FILE: 4766.10 RM OF
BROKENHEAD*

- Chemically precipitated phosphorus leads to increased reliance on chemicals and on a greatly reduced ability to recycle the valuable nutrients contained in biosolids and sludge. Water Quality Management Section encourages the use of effluent irrigation for fertilizer value and to mitigate the impacts of nutrient loading to receiving water ways. Can the proponent please assess the use of effluent irrigation as a demonstrated nutrient reduction strategy to meet a < 1 mg/L phosphorus limit?
- Can the proponent please assess the feasibility of a horizontal subsurface flow wetland for the RM of Brokenhead to meet a < 1 mg/L phosphorus limit?
- The Water Quality Management Section also agrees with Fisheries Branch preference for the discharge channel to meander with some widened sections for pools to provide an extra buffer to achieve increased water quality prior to entering the receiving water ways.
- The Water Quality Management Section is concerned with any discharges that have the potential to impact the aquatic environment and/or restrict present and future uses of the water. Therefore it is recommended that the license require the proponent to actively participate in any future watershed based management study, plan/or nutrient reduction program, approved by the Director.

Boswick, Robert (CWS)

From: Kubish, Cheryl (OFC)
Sent: July-26-13 2:25 PM
To: Boswick, Robert (CWS)
Cc: Schafer, Dave (OFC)
Subject: RE: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Good Afternoon,

No comments at this time from the Office of the Fire Commissioner with respect to application of the Manitoba Building/Fire Codes to this project.

Cheryl Kubish
Administrative Assistant
Office of the Fire Commissioner
508-401 York Avenue
Winnipeg MB R3C 0P8
Phone: 945-3328
Fax: 948-2089

E-Mail address: Cheryl.Kubish@gov.mb.ca

From: Steele, Tania (CWS)
Sent: July-16-13 11:08 AM
To: Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Kanya, Veronika (CWS); Firlotte, Nicole (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Hay, David (CWS); Phipps, Graham (CWS); Janusz, Lauren R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Roberecki, Susan (HEALTH); Roberts, Tracy (HEALTH); +WPG969 - MIT Environmental Services Section (MIT); Shaler, Samantha (MLG); Allum, Brad (MIT); Schafer, Dave (OFC); Kubish, Cheryl (OFC); Nedotiafko, Rob (CWS); Campbell, Lyle (CWS); Smiley, Donna (CWS); Prawdzik, Tim (CWS)
Cc: Boswick, Robert (CWS)
Subject: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/4766broken/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

Robert Boswick @ 204-945-6030. Email replies are programmed to automatically deliver to robert.boswick@gov.mb.ca.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **August 12, 2013**.

****No hard copies will be provided****

Thank you.

Sent on behalf of:

Robert Boswick, P.Eng.

Environmental Engineer

Manitoba Conservation and Water Stewardship

REGULAR MAIL - 160-123 Main Street (BOX 80), Winnipeg MB R3C 1A5

COURIERS - 2nd Floor 123 Main Street, Winnipeg MB R3C 1A5

e-mail: robert.boswick@gov.mb.ca

Ph. (204) 945-6030

Cellular (204) 918-5853

FAX: (204) 945-5229

Boswick, Robert (CWS)

From: Stibbard, James (CWS)
Sent: July-26-13 9:38 AM
To: Boswick, Robert (CWS)
Subject: Re: 4766.10 Brokenhead Lagoon Eapansion EAP

Mr. Boswick,
Office of Drinking Water has no concerns with this EAP
Regards,

James Stibbard P. Eng.
Approvals Engineer
Office of Drinking Water
1007 Century Street
Winnipeg MB R3H 0W4
phone: (204) 945-5949
fax: (204) 945-1365
email: James.Stibbard@gov.mb.ca
website: www.manitoba.ca/drinkingwater

Confidentiality Notice: This message, including any attachments, is confidential and may also be privileged and all rights to privilege are expressly claimed and not waived. Any use, dissemination, distribution, copying or disclosure of this message, or any attachments, in whole or in part, by anyone other than the intended recipient, is strictly prohibited.

Manitoba



**Infrastructure and Transportation
Highway Planning and Design Branch
Environmental Services Section
1420 - 215 Garry St., Winnipeg, MB R3C 3P3
T (204) 619-4359 F (204) 945-0583**

July 23, 2013

**Tracey Braun, M. Sc.
Director, Environmental Approvals Branch
Manitoba Conservation and Water Stewardship
123 Main St., Suite 160
Winnipeg, MB R3C 1A5**

**RE: RM of Brokenhead - WWTL Expansion
Client File No 4766.10**

Dear Ms. Braun:

MIT has reviewed proposal noted above and we do not have concerns with the development as proposed.

Thank you very much for providing us the opportunity to review the proposal.

Sincerely,

A handwritten signature in black ink, appearing to read "Ryan Coulter", written over a horizontal line.

**Ryan Coulter, M. Sc., P. Eng.
Manager of Environmental Services**

Manitoba
spirited energy

From: Matthews, Rob (CWS)
Sent: July-16-13 3:18 PM
To: Boswick, Robert (CWS)
Subject: RE: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

No concerns from the Water Use Licensing Section.

Rob Matthews

From: Steele, Tania (CWS)
Sent: July-16-13 11:08 AM
To: Schindler, Dennis (MAFRI); Kaita, Adara (CWS); Labossiere, Don (CWS); Molod, Rommel (CWS); Streich, Laurie (CWS); Kanya, Veronika (CWS); Firlotte, Nicole (CWS); Kelly, Jason (CWS); Keenan, Phil (CWS); Missyabit, Ron (CWS); Hay, David (CWS); Phipps, Graham (CWS); Janusz, Laureen R (CWS); Stibbard, James (CWS); Matthews, Rob (CWS); Reimer, Geoff P (CWS); +WPG574 - HRB (CHT); Cunningham, Neil (CWS); Roberecki, Susan (HEALTH); Roberts, Tracy (HEALTH); +WPG969 - MIT Environmental Services Section (MIT); Shaler, Samantha (MLG); Allum, Brad (MIT); Schafer, Dave (OFC); Kubish, Cheryl (OFC); Nedotiafko, Rob (CWS); Campbell, Lyle (CWS); Smiley, Donna (CWS); Prawdzik, Tim (CWS)
Cc: Boswick, Robert (CWS)
Subject: Review and comments due Aug. 12, 2013 for EA Proposal R.M. of Brokenhead - WWTL for Garson, Tyndall, Henryville & Brokenhead File: 4766.10

Your review and comments would be appreciated for the attached Proposal submitted pursuant to *The Environment Act*:

<http://www.gov.mb.ca/conservation/eal/registries/4766broken/index.html>

The contact person assigned to co-ordinate review and assessment of the Proposal is:

Robert Boswick @ 204-945-6030. Email replies are programmed to automatically deliver to robert.boswick@gov.mb.ca.

Please indicate to the contact person if you are unable to review the proposal. A non-reply will be considered as indicating your department has reviewed the proposal and has no concerns.

Any comments you have on the Proposal should be emailed by **August 12, 2013**.

****No hard copies will be provided****

Thank you.

Sent on behalf of:

Robert Boswick, P.Eng.
Environmental Engineer
Manitoba Conservation and Water Stewardship
REGULAR MAIL - 160-123 Main Street (BOX 80), Winnipeg MB R3C 1A5
COURIERS - 2nd Floor 123 Main Street, Winnipeg MB R3C 1A5
e-mail: robert.boswick@gov.mb.ca
Ph. (204) 945-6030
Cellular (204) 918-5853
FAX: (204) 945-5229