


Notice of Alteration Form



Client File No. : 4935.00		DGH&TA Licence No. : 166HW	
Legal name of the Licencee: Local Government District of Pinawa			
Name of the FACILITY: LGD of Pinawa Landfill			
HAZARDOUS WASTE STORAGE, HANDLING OR TREATMENT			
Licencee Contact Person: Andrew Toews			
Mailing address of the Licencee: Box 100			
City: Pinawa		Province: Manitoba	Postal Code: R0E 1L0
Phone Number: (204) 753-5106		Fax: (204) 753-2770	Email: pwmanager@pinawa.com
Name of proponent contact person for purposes of the environmental assessment (e.g. consultant): Product Care Association Attention: Randy Weber			
Phone: (204) 477-0741		Mailing address: PO Box 219	
Fax:		Sandy Hook, MB R0C 2W0	
Email address: randy@productcare.org			
Description of Alteration (max 150 characters): The LGD of Pinawa is proposing to construct and operate a Full Service Household Hazardous Waste Depot at the Pinawa Waste Disposal Facility located in 13-14-11 EPM in the LGD of Pinawa. The Depot will be operated in accordance with the Product Care Association Manitoba Household Hazardous Waste Stewardship Program and the Manitoba Product Care Collection Site Guidelines and regulations pursuant to The Dangerous Goods Handling and Transportation Act.			
Date: 10/05/2016		Signature: 	
		Printed name: Andrew Toews	
<p>A complete Notice of Alteration (NoA) consists of the following components:</p> <p><input type="checkbox"/> Cover letter</p> <p><input checked="" type="checkbox"/> Notice of Alteration Form</p> <p><input type="checkbox"/> 4 hard copies and 1 electronic copy of the reports/plans supporting the alteration to the facility</p>		<p>Submit the complete NOA to:</p> <p>Director Environmental Approvals Branch Manitoba Sustainable Development Suite 160, 123 Main Street Winnipeg, Manitoba R3C 1A5</p> <p>For more information:</p> <p>Phone: (204) 945-8321 Fax: (204) 945-5229 http://www.gov.mb.ca/conservation/eal</p>	



Environmental Stewardship Division
Environmental Approvals Branch
1007 Century Street, Winnipeg Manitoba R3H 0W4
T 204-945-7086 F 204-948-2338
www.gov.mb.ca/conservation/eal

September 21, 2016

Mr. Andrew Toews
Public Works Manager
Local Government District of Pinawa
Box 100
Pinawa MB R0E 1L0

Dear Mr. Toews:

Re: Storage Site for PCB Waste – Pinawa Landfill, W 13-14-11 E, Local Government District of Pinawa, Pinawa

In response to your PCB Storage Site Registration form dated May 4, 2016 (received on September 19, 2016), I hereby authorize the establishment of a PCB Storage Site at Pinawa Landfill, W 13-14-11 E, in the Local Government District of Pinawa, Manitoba in accordance with Manitoba Regulation 474/88 (PCB Regulation) pursuant to *The Dangerous Goods Handling and Transportation Act*.

The Provincial ID No. assigned to the site as a consignor of hazardous waste is MBG07682.

In addition to the requirements for design and operation standards and record keeping and reporting requirements specified in the Manitoba Regulation 474/88, all other applicable Federal, Provincial and Municipal Regulations and By-laws must be complied with.

Please be aware that a written authorization from Manitoba Sustainable Development is required prior to the shipping of PCB waste out of the storage site for disposal.

Should you have any questions regarding this correspondence, you may contact Raj Rathamano at (204) 945-7086.

Yours sincerely,

Tracey Braun, M. Sc.
Director,
The Dangerous Goods Handling and Transportation Act

cc: Diane Oertel, Manitoba Sustainable Development
Shawna Pamplin, Environment Canada
Raj Rathamano, Manitoba Sustainable Development



Sustainable Development

Environmental Stewardship Division

Environmental Approvals Branch

123 Main Street, Suite 160 (Box 80), Winnipeg, Manitoba, Canada R3C 1A5

T 204 945-8321 F 204 945-5229

www.gov.mb.ca/conservation/eal

CLIENT FILE NO.: 4935.00

October 31, 2016

Mr. Andrew Toews
Local Government District of Pinawa
Box 100
Pinawa, MB R0E 1L0

Dear Mr. Toews:

**Re: Notice of Alteration – Dangerous Goods Handling and Transportation Act Licence
166 HW – Collection of Household Hazardous Waste**

Thank you for your September 19, 2016 Request for Amendment to Dangerous Goods Handling and Transportation Act Licence No. 166 HW for the Local Government of Pinawa Collection Facility. The amendment consists of operating a Household Hazardous Waste Collection facility including PCB (light ballast) waste in accordance with the Product Care Manitoba Stewardship Program.

Upon review of your amendment request, I have concluded that the environmental effects of the proposed alteration will be insignificant, and, therefore, you are hereby authorized to carry out the proposed amendment to collect household hazardous waste at the Pinawa waste disposal ground at 13-14-11 EPM in the Local Government of Pinawa.

Please be advised that this approval is contingent on the acceptance of a revised Dangerous Goods Handling and Transportation Act Licence that will be issued in the near future. If you have any questions regarding this matter, please contact Ms. Cory Switzer, Environmental Engineer at 204-250-7645.

Yours truly,

Tracey Braun, M.Sc.

Director

**Dangerous Goods Handling and
Transportation Act**

cc: Don Labossiere, Donna Smiley, Environmental Compliance and Enforcement
Public Registries

**GENERATOR REGISTRATION AND CARRIER
LICENSING REGULATION M.R. 175/87**



HAZARDOUS WASTE REGISTRATION FORM

Check all that apply: New Company Name Change Moved Additional Site Update

Section 1 Generator Identification

Generator (legal name): LGD of Pinawa Corp. File # if app. _____
 Mailing Address: Box 100 City Pinawa Prov Mb Postal Code ROE 1K0
 Operation Name: Pinawa Landfill Site Location PR 520 W13-14-11E
 Operation Mailing Address: Box 100 City Pinawa Prov Mb Postal Code ROE 1K0

Section 2 Waste Description

Physical State	TDG Shipping Name	UN Number	TDG Class	Packing Group	Provincial waste class code	Quantity generated per month	Frequency of generation	Treatment / disposal code
a) L	PAINT	UN1263	3	II	145I	5184	R	D15
b) G	AEROSOLS	UN1950	2.1		331I	240	R	D15
c) L	FLAMMABLE LIQUIDS, N.O.S (gasoline)	UN1993	3	II	213I	640	R	D15
d) L	PESTICIDE LIQUID, TOXIC, N.O.S (diazinon)	UN2902	6.1	II	242A	640	R	D15
e) L	CORROSIVE LIQUID, N.O.S (hydrochloric acid)	UN1760	8	II	114C	640	R	D15
d) L	CORROSIVE LIQUID, N.O.S (sodium hydroxide)	UN1760	8	II	122C	640	R	D15
e) L	OXIDIZING LIQUID, N.O.S (sodium hypochlorite)	UN3139	5.1	II	148A	320	R	D15
f) S	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID	UN3028	8	III	122C	160	R	D15
g) G	COMPRESSED GAS, FLAMMABLE, N.O.S. (propane)	UN1954	2.1		331	320	R	D15
h) L	ADHESIVES	UN1133	3	II	232I	640	R	D15
i) G	FIRE EXTINGUISHERS	UN1044	2.2		331L	160	R	D15
j)	MEDECINE, LIQUID, TOXIC, N.O.S. (lidocane chloride)	UN1851	6.1	II	741A	160	R	D15
k) S	Waste Polychlorinated Biphenyls	UN2315	9	II	243D	50	C	X

Section 3 Waste Management Information

General business type _____
 Source of hazardous waste Household hazardous waste collections from residential sources.
 Hazardous waste carrier(s) used _____
 Hazardous waste receiver(s) used _____

Section 4 Certification

I certify that the information provided on this form is correct and complete.

Signature of contact person with operation: [Signature] Date (dd/mm/yy): 04/05/2016
 Print name of contact person: Andrew Toews Position/title: Public Works Manager
 Telephone: 204-753-5106 Fax: 204-753-2770

For departmental use only
 MBG _____ Business Code _____ Form checked by _____ Region _____
 Form processed by _____

Personal information is collected under the authority of *The Dangerous Goods Handling and Transportation Act*, Generator Registration and Carrier Licensing Regulation M.R. 175/87, and will be used to issue the Hazardous Waste Registration Number (Provincial ID number) and for administration and enforcement purposes. It is protected by the privacy provisions of *The Freedom of Information and Protection of Privacy Act*. If you have any questions, contact the Access & Privacy Co-ordinator, Box 85, 200 Saulteaux Crescent, Winnipeg MB R3J 3W3; 1-204-945-4170.

PCB STORAGE SITE REGULATION M.R. 474/88



PCB STORAGE SITE REGISTRATION

Operator Identification

Legal Name of Company: LGD of Pinawa Corporate File No. _____
Mailing address: Box 100 City Pinawa Prov. MB Postal Code R0E 1L0
Operation Name: Pinawa land fill Operation Site Location R520 W13-14-11E
Operation Mailing Address: Box 100 City Pinawa Prov. MB Postal Code R0E 1L0

Facility Description

- 1) Inside storage Outside storage
- 2) Property diagram: Include property dimensions, location of all buildings and outside storage areas, roads, fences, entrances, etc. (Attach to completed registration).
- 3) Storage building description (construction, size, type, exits, etc.):
20' by 20' wood framed building on a concrete slab,
10' by 8' overhead door and 34" man door
See attached also,
- 4) Storage area description (size, exits, location within building and precise location of waste, etc.):
Storage area will be in an isolated corner of the
20' by 20' storage building. Exits include over-head
door and man door.
See attached also.
- 5) Storage area floor plan: include location of PCB waste, doors, windows, area dimensions, etc. (Attach to completed registration).
- 6) Brief description of container storage method:
- 205 LITRE SINGLE STEEL DRUM
- SEPERATED FROM OTHER MATRIAL STORED AT THE DEPOT

7) Brief description of spill containment and emergency procedures:

-PCB LIGHT BALLASTS ONLY THAT ARE INTACT AND STORED IN 205 LITRE STEEL DRUM ON A WOODEN PALLET

- SPILL KIT IS AVAILABLE ON SITE

-ABSORBENT MATERIAL IS PLACED ON THE BOTTOM OF STORAGE DRUM

8) Brief description of security and site monitoring:

STORAGE BUILDING LOCKED

9) Brief description of fire protection / detection system:

FIRE EXTINGUISHER

10) Other information pertaining to safe and secure PCB storage:

NOT APPLICABLE

Certification

I certify that the information provided on this form is correct and complete.

Signature of Contact Person with the Operation: *A. Toews* Date (dd/mm/yyyy): *04/05/2016*

Print Name of Contact Person: *Andrew Toews* Position/Title: *Public Works Manager*

Telephone: *204-753-5106* Fax: *204-753-2770*

For department use only:

Region _____ Business Code _____ Reviewed by _____ MB _____

Personal information is collected under the authority of *The Dangerous Goods Handling and Transportation Act*, PCB Storage Site Regulation M.R. 474/88 and will be used to issue Hazardous Waste Registration No. (Provincial ID No.) and for administration and enforcement purposes. Information collected is protected by the privacy provisions of *The Freedom of Information and Protection of Privacy Act*. If you have any questions, contact the Access & Privacy Co-ordinator, Box 85, 200 Saulteaux Crescent, Winnipeg MB R3J 3W3; 1-204-945-4170.


HWS PCB Storage Site Registration June 2002 rev. August 2005, December 2012

INVENTORY OF PCB WASTE IN STORAGE

M.R. 474/88 see 10(2)

State of waste: solid, liquid or equipment	Container type	No. of containers	Description of waste solids	Equipment description: include nameplate info. and serialized PCB label no.	Volume of PCB liquid	Concentration of PCBs or PCBs last contained
Equipment	Light Ballast	1	Not Applicable	PCB light Ballast, residential origin	Not Applicable	Not Applicable




Attach additional pages if necessary.



- NOTE:**
- SEE DRG. 001 FOR EXX COLLECTION AREA AND BURN PIT GRADING.
 - ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
 - ALL DIMENSIONS SHALL BE CHECKED WITH A TAPE OR 30 COVER AND SHALL HAVE TO BE MADE BY OTHERS.

Existing Bldg.

New Mulk - Purpose



COCHRANE ENGINEERING LTD.
 1000 WEST 31ST STREET, SUITE 101
 CALGARY, ALBERTA, CANADA T2C 1K8
 TEL: (403) 241-2841
 FAX: (403) 241-2842

ENGINEER: J. HARRIS
 CHECKED: J. HARRIS
 DATE: 1997/07/24

PROJECT NO: 21807

LEGEND

EXISTING	LEGEND	PROPOSED
----------	--------	----------

REDUCED DRAWING
 50 MET SCALE

BENCHMARKS
 ASSUMED TO BE AT 100.000 M A.S.L. UNLESS OTHERWISE SPECIFIED.
 MARKS WILL BE IDENTIFIED BY CORNER.

METRIC
 ALL DIMENSIONS AND LENGTHS SHALL BE IN METERS UNLESS OTHERWISE SPECIFIED.

LEGEND

DATE	DESCRIPTION
1997/07/24	ISSUED FOR TENDER
1997/07/24	ISSUED FOR TENDER

CLIENT: PINAWA WASTE DISPOSAL GROUNDS

PROJECT NO: 21807

SCALE: 1:500

DATE: 1997/07/24

PROJECT NO: 21807


2016


L&D of Pina wa

HHW Storage Building

Notes:

- Prefinished metal exterior w/ soffit + fascia + eaves trough
- Concrete thickened edge slab as per Engineered drawings
- Not insulated
- Basic wiring/electrical package





September 19, 2016

Tracey Braun
Director, Environmental Approvals Branch
Manitoba Conservation and Water Stewardship
160 – 123 Main Street
Winnipeg MB R3C 1A5
tracey.braun@gov.mb.ca

Dear Ms Braun,

RE: Proposed Amendment to DGHTA License No. 166HW, Municipality of Pinawa, Client File No.: 4935.00

Please accept this letter as a notice of alteration to the above noted *Dangerous Goods Handling and Transportation Act* License.

The Municipality of Pinawa is proposing to construct and operate a Full Service Household Hazardous Waste Depot (Depot) at the Pinawa Waste Disposal Facility located in the 13-14-11 EPM in the Rural Municipality of Pinawa. The location of the Depot within the overall waste management facility is illustrated on the accompanying sketch map.

The Depot will be operated in accordance with the Product Care Association (PCA) Manitoba Household Hazardous Waste Stewardship Program and the Manitoba Product Care Collection Site Guidelines (Guidelines) and regulations pursuant to *The Dangerous Goods Handling and Transportation Act*. A copy of the Guidelines is attached. In addition, the Depot is constructed in accordance with all applicable municipal building and fire code requirements.

The Depot will handle a full range of household hazardous wastes falling into the *Transportation of Dangerous Goods Act* Classes 2, 3, 4, 5, 6, 8 and 9. The estimated quantity for each of these is included on the attached Hazardous Waste Generator Registration Form.

Please note that the Oil Tank identified in License 166HW has been moved to the Municipality of Pinawa's Public Works Yard. It is still in use at this location. However, no used oil is being accepted from off site sources at the Public Works Yard location. It is our intent to purchase and install a new used oil tank for the Pinawa Waste Disposal Grounds in the near future. Details will be provided to your office once the new storage tank has been purchased.

Should you have any questions or require additional information, please feel free to contact the undersigned at **1-204-753-5106**.

Yours truly,



Andrew Toews
Public Works Manager

Attachment PCA Product Care Collection Site Guidelines
 Hazardous Waste Generator Registration Form
 PCB Storage Site Registration Form
cc Randy Webber (PCA)
