

Environmental Stewardship Division
Environmental Approvals Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-8321 F 204 945-5229
www.gov.mb.ca/conservation/eal

CLIENT FILE NO.: 5846.00

October 21, 2016

Kara Sylvester, Chief Administrative Officer
Rural Municipality of Rosedale
Box 100
Neepawa MB R0J 1H0

Dear Ms. Sylvester:

Enclosed is **Environment Act Licence No. 3200** issued to the **Rural Municipality of Rosedale** for the construction and operation of the Development being a rural water supply system in the RM of Rosedale, obtaining treated water from the Town of Neepawa water supply system and distributing it to the community of Eden and rural residences, in accordance with the Proposal filed under *The Environment Act*.

In addition to the enclosed Licence requirements, please be informed that all other applicable federal, provincial and municipal regulations and by-laws must be complied with. A Notice of Alteration must be filed with the Director for approval prior to any alteration to the Development as licensed.

For further information on the administration and application of the Licence, please feel free to contact Peter Crocker, Environment Officer, at 204-726-6565.

Pursuant to Section 27 of *The Environment Act*, this licensing decision may be appealed by any person who is affected by the issuance of this Licence to the Minister of Sustainable Development within 30 days of the date of the Licence.

Yours truly,

“original signed by”

Tracey Braun, M.Sc.
Director
Environment Act

c: Don Labossiere, Tim Prawdzik, Peter Crocker, - Environmental Compliance and Enforcement Branch
Dee Genaille, MWSB
Public Registries

NOTE: Confirmation of Receipt of this Licence No. 3200 (*by the Licencee only*) is required by the Director of Environmental Approvals. Please acknowledge receipt by signing in the space provided below and faxing a copy (letter only) to the Department by November 4, 2016.

On behalf of RM of Rosedale

Date

LICENCE

Licence No. / Licence n° 3200

Issue Date / Date de délivrance October 21, 2016

In accordance with *The Environment Act* (C.C.S.M. c. E125) /
Conformément à *la Loi sur l'environnement* (C.P.L.M. c. E125)

Pursuant to Section 11 (1) / Conformément au Paragraphe 11 (1)

THIS LICENCE IS ISSUED TO: / CETTE LICENCE EST DONNÉE À:

RURAL MUNICIPALITY OF ROSEDALE;
"the Licencee"

for the construction and operation of the Development being a rural water supply system in the Rural Municipality of Rosedale, obtaining treated water from the Town of Neepawa water supply system and distributing it to the community of Eden and rural residences, in accordance with the Proposal filed under *The Environment Act* dated July 27, 2016, and subject to the following specifications, limits, terms and conditions:

DEFINITIONS

In this Licence,

"**Director**" means an employee so designated pursuant to *The Environment Act*; and

"**Environment Officer**" means an employee so designated pursuant to *The Environment Act*.

GENERAL TERMS AND CONDITIONS

This Section of the Licence contains requirements intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

1. In addition to any of the limits, terms and conditions specified in this Licence, the Licencee shall, upon the request of the Director:
 - a) sample, monitor, analyze and/or investigate specific areas of concern regarding any segment, component or aspect of pollutant storage, containment, treatment, handling, disposal or emission systems, for such pollutants or ambient quality, aquatic toxicity, leachate characteristics and discharge or emission rates, for such duration and at such frequencies as may be specified;
 - b) determine the environmental impact associated with the release of any pollutant(s) from the Development;
 - c) conduct specific investigations in response to the data gathered during environmental monitoring programs; or
 - d) provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, descriptions of sampling and analytical procedures being used, bioassay data, flow rate measurements and such other information as may from time to time be requested.
2. The Licencee shall submit all information required to be provided to the Director or Environment Officer under this Licence, in written and electronic format, in such form (including number of copies) and of such content as may be required by the Director or Environment Officer, and each submission shall be clearly labelled with the Licence Number and Client File Number associated with this Licence.
3. The Licencee shall construct and operate the water supply system in accordance with Manitoba Regulations under *The Public Health Act*, *The Drinking Water Safety Act*, and all operating requirements as recommended by Manitoba Sustainable Development.
4. The Licencee shall collect and dispose of all used oil products and other regulated hazardous wastes generated by the machinery used in the construction and operation of the Development in accordance with applicable Manitoba Sustainable Development and legislation requirements.
5. The Licencee shall revegetate soil exposed during the construction of the Development with native or introduced grasses or legumes. Native species shall be used to revegetate areas where native species are predominant. Revegetation is not required for pipelines installed by chain trenching or ploughing on previously disturbed ground including road allowances.
6. The Licencee shall not permit the interconnection of a private water supply system with the Development.

SPECIFICATIONS, LIMITS, TERMS AND CONDITIONS

Construction – General

7. The Licencee shall, in any year in which construction of the Development occurs, notify the Environmental Compliance and Enforcement Branch of Manitoba Sustainable Development not less than two weeks prior to construction. The notification shall include the intended starting date of construction and the name of the contractor responsible for the construction.
8. The Licencee shall, prior to the construction of new water distribution components of the Development, obtain a Permit to Construct or Alter a Public Water System from the Office of Drinking Water of Manitoba Sustainable Development.
9. The Licencee shall, during construction of the Development, operate, maintain and store all materials and equipment in a manner that prevents any deleterious substances (fuel, oil, grease, hydraulic fluids, coolant, paint, uncured concrete and concrete wash water, etc.) from entering watercourses, and have an emergency spill kit for in-water use available on site during construction.
10. The Licencee shall establish fuel storage and equipment servicing areas for the construction and operation of the Development:
 - a) a minimum distance of 100 metres from any waterbody; and
 - b) in compliance with the requirements of *Manitoba Regulation 188/2001* respecting *Storage and Handling of Petroleum Products and Allied Products* or any future amendment thereof.
11. The Licencee shall, in the case of physical or mechanical equipment breakdown or process upset where such breakdown or process upset results or may result in the release of a pollutant in an amount or concentration, or at a level or rate of release, that causes or may cause a significant adverse effect, immediately report the event by calling the 24-hour environmental accident reporting line at 204-944-4888 (toll-free 1-855-944-4888). The report shall indicate the nature of the event, the time and estimated duration of the event and the reason for the event.
12. The Licencee shall, following the reporting of an event pursuant to Clause 11:
 - a) identify the repairs required to the mechanical equipment;
 - b) undertake all repairs to minimize unauthorized discharges of a pollutant;
 - c) complete the repairs in accordance with any written instructions of the Director and/or the Environment Officer; and
 - d) submit a report to the Director about the causes of breakdown and measures taken, within one week of the repairs being done.

13. The Licencee shall not, during construction and operation of the Development, remove, destroy or disturb species listed as rare, endangered, or of special concern, or their habitats. These species are listed in *Manitoba Regulation 25/98* respecting *Threatened, Endangered and Extirpated Species* or any future amendment thereof, and in the federal Species at Risk Act.
14. The Licencee shall not construct the Development in areas likely to provide bird habitat before August 1 of any year.
15. The Licencee shall, during construction of the Development, implement all necessary measures to prevent the erosion of exposed soil into any waterbodies. Construction adjacent to waterbodies shall not occur during high rainfall events.
16. The Licencee shall, during construction and maintenance of the Development, prevent the introduction and spread of foreign aquatic and terrestrial biota by cleaning equipment prior to its delivery to the site of the Development.
17. The Licencee shall dispose of non-reusable construction debris from the Development at a waste disposal ground operating under the authority of a permit issued pursuant to *Manitoba Regulation 37/2016* respecting *Waste Management Facilities*, or any future amendment thereof, or a Licence issued pursuant to *The Environment Act*.

Construction - Pipelines

18. The Licencee shall, prior to commencing construction of new pipelines of the Development on or adjacent to highway rights-of-way, obtain all necessary approvals from Manitoba Infrastructure and the Highway Traffic Board.
19. The Licencee shall not release chlorinated water from pipeline testing and startup activities associated with the Development to a surface water body until chlorine level concentrations are equal to or less than 0.02 milligrams per litre. Releases of chlorinated water at higher concentrations may be made to vegetated land or dry waterways, provided that chlorine level concentrations have decayed to 0.02 milligrams per litre or less before the released water reaches any body of surface water.
20. The Licencee shall minimize impacts on land adjacent to the pipelines' routes during construction of buried pipelines associated with the Development. Previously disturbed publicly owned rights-of-way shall be followed where possible.

21. The Licencee shall construct waterway crossings on flowing waterways by augering, tunneling or boring. Open cut crossings on flowing waterways shall not be made unless prior consultation with Manitoba Sustainable Development and Department of Fisheries and Oceans staff has occurred and the prior written approval of the Director has been obtained. Dry or non-flowing (i.e. hydraulically unconnected to downstream flowing water) natural and artificial waterways may be crossed with open cut techniques where approval has been obtained where necessary from the authority responsible for the channel.
22. The Licencee shall complete augered, tunneled or bored waterway crossings in accordance with the Fisheries and Oceans Canada Measures to Avoid Causing Harm to Fish and Fish Habitat, and notify the Environment Officer if a frac out occurs.
23. The Licencee shall, where conditions allow, excavate endpoints for directional drilling operations a minimum of 30 m from the high water mark of third and higher order waterways, and a minimum of 15 m from the high water mark of first and second order waterways.
24. The Licencee shall, where open cut stream crossing techniques are used on intermittent waterways and artificial drainage channels, not construct open cut crossings associated with the Development between March 15 and June 15 of any year.
25. The Licencee shall construct open cut stream crossings associated with the Development in accordance with the methodologies described in the October, 2005 publication "Pipeline Associated Watercourse Crossings Third Edition", published by the Canadian Pipeline Water Crossing Committee, and the May, 1996 publication "Manitoba Stream Crossing Guidelines for the Protection of Fish and Fish Habitat", published by the Department of Fisheries and Oceans and Manitoba Natural Resources.
26. The Licencee shall, where open cut stream crossing techniques are used on intermittent waterways and artificial drainage channels, minimize disturbance to riparian areas and restore the bottom and banks of the waterways to their original elevations and shapes.
27. The Licencee shall not alter local drainage patterns by the construction of the Development, including inflows and outflows from small wetlands adjacent to the route of pipelines.

28. The Licencee shall separate and replace topsoil from backhoe and trenching operations associated with the Development in accordance with the methodology described in Figures 1, 2 and 3 attached to this Licence. This requirement is not applicable where the topsoil has been previously disturbed due to the construction of roads or drains.

Operation

29. The Licencee shall obtain and maintain classification of the Development pursuant to *Manitoba Regulation 77/2003* respecting *Water and Wastewater Facility Operators* or any future amendment thereof, and maintain compliance with all requirements of the regulation including, but not limited to, the preparation and maintenance of a Table of Organization, Emergency Response Plan and Standard Operating Procedures.
30. The Licencee shall carry out the operation of the Development with individuals properly certified to do so pursuant to *Manitoba Regulation 77/2003* respecting *Water and Wastewater Facility Operators* or any future amendment thereof.
31. The Licencee shall, upon the commencement of operation of the Development, seal wells made redundant by the Development in accordance with Manitoba water well industry standard practices.


REVIEW AND REVOCATION

- A. If, in the opinion of the Director, the Licencee has exceeded or is exceeding or has or is failing to meet the specifications, limits, terms, or conditions set out in this Licence, the Director may, temporarily or permanently, revoke this Licence.
- B. If construction of the Development has not commenced within three years of the date of this Licence, the Licence is revoked.
- C. If, in the opinion of the Director, new evidence warrants a change in the specifications, limits, terms or conditions of this Licence, the Director may require the filing of a new proposal pursuant to Section 11 of *The Environment Act*.

“original signed by”


Tracey Braun, M.Sc.
Director
Environment Act

Figure 1 to Environment Act Licence No. 3200
Rural Municipality of Rosedale Rural Water Pipeline




Figures 2 and 3 to Environment Act Licence No. 3200

Rural Municipality of Rosedale Rural Water Pipeline



COMPACTION OF BACKFILL

Figure 2



Roach the trench to compensate for settlement and changes in natural drainage patterns. The height of the roach depends upon land use, the degree of compaction achieved.

ROACHING THE TRENCH

Figure 3